

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	("20010052889" "20020105509" "20040041770" "20040201810" "20050001947" "20050001964" "20050168674" "20050174528" "20050237463" "6195140" "6278503" "6710825" "6788375" "6862062" "6924876" "6950160" "6965422").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 12:35
L2	2	("6577366").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 12:59
L3	18	L1 and (storage capacitor capacitance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 13:00
L4	2	"US 20060158574"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2009/01/05 13:02
L5	59	"349"/\$.ccls. and radially near3 inclin\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:10
L6	38	"349"/\$.ccls. and radially near3 inclin\$3. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:12

L7	37	L6 and (capacitor capacitance storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:13
L8	886	349/129.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:33
L9	4695	"349"/\$.ccls. and (storage capacitor capacitance) with insulat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:49
L10	2469	"349"/\$.ccls. and (storage capacitor capacitance) with insulat\$4 with (interposed between)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:49
L11	454	"349"/\$.ccls. and (storage capacitor capacitance) with insulat\$4 with interposed with between	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:49
L12	165	L11 and vertical\$2 with liquid adj crystal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:51
L13	409	"349"/\$.ccls. and (storage capacitor capacitance) with electrode with insulat \$4 with interposed with between	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:51
L14	150	L13 and vertical\$2 with liquid adj crystal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:51

L15	85	"349"/\$.ccds. and ((storage capacitor capacitance) near2 line) with ((storage capacitor capacitance) near2 electrode) with insulat\$4 with interposed with between	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 13:53
L16	429	"349"/\$.ccds. and (storage capacitor capacitance) with branch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 14:12
L17	981	"349"/\$.ccds. and tft with insulat\$3 with pixel adj electrode with drain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 14:41
L19	369	L17 and resin with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 14:43
L20	12	L17 and resin with insulat\$3 with (storage capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 14:51

1/ 5/ 2009 3:09:30 PM

C:\Documents and Settings\Ichien\My Documents\EAST\Workspaces\10560340.wsp